

## Aio Core I3 I5 I7 Laptops for Office Gaming Monoblock Desktops Barebone All In One PC

### **Basic Information**

• Place of Origin:

Certification:

- Guangdong, China
- Brand Name:
- WPNA CE/FCC/RoHs/ISO9001/CCC

\$158.00/pieces 1-9 pieces

carton, bubble bag, stecth film

E21

- Model Number:
- Minimum Order Quantity: 5set
- Price:
- Packaging Details:
- Supply Ability: 10000 Piece/Pieces per Month



### **Product Specification**

New
: 2.50GHz
IPS
1-Year
1000:1
Dedicated Card
No CD ROM
Yes
DVI, S-VIDEO, Support HDMI Input, HDMI, VGA, Usb, Fast Ethernet

Silver

OLED

5ms

Intel

Business

- Color:
- Display Type:
- Use:
- Response Time:
- Processor Brand:



### More Images




21.5 "23.8" Cheap Aio Core I3 I5 I7 Laptops For Office Gaming Monoblock Desktops Barebone All In One Pc Computer Gamer


CPUIntel Core IS 3/G/m MIS/G/, OptionalFrequencySOGHZ to 3.9GHZ OptionalAard diskSSD128G/256G/5120 OptionalMemory4G/8G/16GAN1000Mbit LAN+wifiIntegrated ModuleWIFI 802.11B/G/N Agreement.support 1000Mbit LAN+wifiPower port×1LAN×1Power port×1USB×1Affreement.support×1USB×6Altrophone-ont averVIFI 802.11B/G/N Agreement.support×1Altrophone-ont averVGA×1Altrophone-ont averUSB×6Altrophone-ont averVIP×1Altrophone-ont averVIP×1Altrophone-ont averVIP×1Altrophone-ont averNotaver×1Altrophone-ont averVIP×1Altrophone-ont averVIP×1Altrophone-ont averNotaver×1Altrophone-ont averNotaver×1		Sc	creen	
CPU         Intel Core IS 3rd Gen IS/IS/I7, Optional         Frequency         2.0GHz to 3.9GHz Optional           4ard disk         SSD128Q:256G/512G, HHD TB, 2GTB         Memory         4G/8G/16G Optional           AN         1000Mbit LAN+wifi         integrated Module         WIFI 802.11B/G/N Agreement,support           AN         1000Mbit LAN+wifi         Integrated Module         WIFI 802.11B/G/N Agreement,support           Power port         ×1         LAN         ×1           Earphone-in jack         ×1         USB         ×1           Microphone-out ack         ×1         USB         ×6           Power Adaptor         12V Direct Current (SA,60W         200 Direct Current (SA,60W)           Inuversal         Power adaptor         ×1           Jser'S manual         ×1         Keyboard/Mouse         ×1           Jser'S manual         ×1         Keyboard/Mouse         ×1           Jser'S manual         ×1         Keyboard/Mouse         ×1           Power cable         ×1         Keyboard/Mouse         ×1           Jser'S manual         ×1         Keyboard/Mouse         ×1           Power dagtor         External USB CD/DVD driver         support         Compatible with win7/8/10Linux           Deperating fermperature	Screen size	•	Resolution	1920*1080P
CPU     Intel Core I3 3rd Gen I3/15/17, Optional     Frequency     2.0GHz to 3.9GHz Optional       Hard disk     HD SD128G/256G/512G, Optional     Memory     4G/8G/16G Optional       LAN     1000Mbit LAN+wifi     integrated Module     WIFI 802.11B/GN Agreement.support 100Mbit LAN+wifi       LAN     1     LAN     ×1       VO Interface       Power port     ×1     LAN     ×1       Earphone-in jack     ×1     VGA     ×1       Microphone-out jack     ×1     USB     ×6       VO Direct Current 100-240V AC, 50/60Hz       Universal     Output     12V Direct Current 56,60W       Power cable     ×1     VGA     ×1       User'S manual     ×1     Keyboard/Mouse     ×1       User'S manual     ×1     Keyboard/Mouse     ×1       User'S manual     ×1     Support     Compatible with win7/8/10Linux       Support     External USB CD/DVD driver     support     Compatible with win7/8/10Linux       Support     External USB CD/DVD driver     Support     Compatible with win7/8/10Linux       Coperating Temperature     0*C to 40°C     Storage Temperature     -20°C to 60°C	Aspect ratio	16:09	Display Type	LED
Or O       13/15/17, Optional       Inequelity       Optional         Hard disk       SSD 128G/256G/512G, HBrd 1TB /2TB Optional       Memory       4G/8G/16G Optional         LAN       1000Mbit LAN+wifi       integrated Module       WIFI 802.11B/G/N Agreement, support 100M         LAN       1000Mbit LAN+wifi       integrated Module       WIFI 802.11B/G/N Agreement, support 100M         Power port       ×1       LAN       ×1         Earphone-in jack       ×1       USB       ×6         Power Adaptor         Input       100-240V AC ,50/60Hz Universal       Output       12V Direct Current ,6A,60W         Power adaptor         VIDeres Sories         Power sable       ×1         Visional         Visional <t< td=""><td></td><td>c</td><td>CPU</td><td></td></t<>		c	CPU	
Hard disk     HHD 1TB /2TB Optional     Memory     4G/8G/16G Optional       LAN     1000Mbit LAN+wifi     integrated Module     WIFI 802.11B/G/N Agreement, support 1000M       Power port     ×1     LAN     ×1       Earphone-in jack     ×1     VGA     ×1       Microphone-out jack     ×1     USB     ×6       Power Adaptor     virial     USB     ×6       Input     100-240V AC ,50/60Hz Universal     Output     12V Direct Current ,6A,60W       Power cable     ×1     Power adaptor     ×1       User'S manual     ×1     Keyboard/Mouse     ×1       Support     External USB CD/DVD driver     support     Compatible with win7/8/10Linux       Optrating Temperature     0°C to 40°C     Storage Temperature     -20°C to 60°C	PU		Frequency	
LAN     1000Mbit LAN+wifi     integrated Module     Agreement, support 1000M       I/O Interface       Power port     ×1     LAN     ×1       Earphone-in jack     ×1     VGA     ×1       Microphone-out jack     ×1     USB     ×6       Power Adaptor       Input     100-240V AC, 50/60Hz Universal     Output     12V Direct Current ,6A,60W       Power adaptor       Input     100-240V AC, 50/60Hz Universal       Output     12V Direct Current ,6A,60W       Power adaptor       Newer adaptor       Numer adaptor       Vertice support       External USB CD/DVD Nuse       Compatible with win7/8/10Linux       Environment       Operating O°C to 40°C       Storage Temperature       OPC to 60°C       Temperature       All-in-one computer	lard disk	HHD 1TB /2TB	Memory	4G/8G/16G Optional
Power port×1LAN×1Earphone-in jack×1VGA×1Microphone-out jack×1USB×6Ower JagtorInput100-240V AC, 50/60Hz UniversalOutput12V Direct Current ,6A,60WNewer adaptor×1Power cable×1Voer cable×1Ng-Al alloy base,AES plastic shellOwer adaptor×1Material×1Keyboard/Mouse×1SupportExternal USB CD/DVD driverSupportCompatible with win7/8/10LinuxSupportExternal USB CD/DVD driversupport20°C to 60°COperating Temperature0°C to 40°CStorage Temperature-20°C to 60°CKatterial USB CD/DVD driverAll-in-one compatible with win7/8/10LinuxCompatible with Min7/8/10LinuxExternal USB CD/DVD driverStorage Temperature-20°C to 60°CKeyboard further MaterialCompatible with win7/8/10LinuxCompatible with win7/8/10LinuxCompatible with win7/8/10LinuxCompatible with win7/8/10LinuxCompatible with win7/8/10LinuxCompatible with win7/8/10LinuxCompatible with win7/8/10LinuxCompatible with win7/8/10LinuxCompatible with win7/8/10LinuxCompatible with<	AN	1000Mbit LAN+wifi	integrated Module	Agreement,support
Earphone-in jack       ×1       VGA       ×1         Microphone-out       ×1       USB       ×6         Hower Adaptor         Input       100-240V AC,50/60Hz       Output       12V Direct Current         Universal       0utput       12V Direct Current         A6,60W       ACCerrores       1         Power cable       ×1       Power adaptor       ×1         User'S manual       ×1       Keyboard/Mouse       ×1         Material       ×1       Keyboard/Mouse       ×1         Support         External USB CD/DVD driver       support       Compatible with win7/8/10Linux         Support       External USB CD/DVD driver       support       Compatible with win7/8/10Linux         Operating Temperature       0°C to 40°C       Storage Temperature       -20°C to 60°C         Imperature         Operating Temperature       0°C to 40°C       Storage Temperature       -20°C to 60°C         Imperature         Interimet       AII-Interimet         Interimet       -20°C to 60°C       Interimet         Interimet       Interimet       -20°C to 60°C         Interim       Interimet       In		I/O Ir	nterface	
Microphone-out jack       ×1       USB       ×6         Power Adaptor       Power Adaptor       12V Direct Current ,6A,60W         Input       100-240V AC,50/60Hz Universal       Output       12V Direct Current ,6A,60W         Power cable       ×1       Power adaptor       ×1         User'S manual       ×1       Keyboard/Mouse       ×1         User'S manual       ×1       Keyboard/Mouse       ×1         Material       Mg-AI alloy base,ABS plastic shell         Optional         support       External USB CD/DVD driver       support       Compatible with win7/8/10Linux         Operating Temperature       0°C to 40°C       Storage Temperature       -20°C to 60°C         K###       All-in-one computer	ower port	×1	LAN	×1
iack in Power Adaptor Input 100-240V AC ,50/60Hz Output 12V Direct Current ,6A,60W Accessories Power cable ×1 Power adaptor ×1 User'S manual ×1 Keyboard/Mouse ×1 Material ×1 Keyboard/Mouse ×1 Mg-AI alloy base,ABS plastic shell Coptional support External USB CD/DVD support Compatible with win7/8/10Linux Environment Operating O°C to 40°C Storage -20°Cto 60°C Temperature O°C to 40°C Storage -20°Cto 60°C	Earphone-in jack	×1	VGA	×1
Power cable         100-240V AC, 50/60H2 Universal         Qutput         12V Direct Current (5A,60W           Power cable         ×           Power cable         ×           ×         ×           Power cable         ×         ×           Power cable         ×         ×           Power cable         ×         ×           Power cable         ×         ×         ×           Power cable         ×         ×           ×         ×           ×         ×           ×         ×           ×         ×           ×         ×           ×         ×           ×         ×           ×         ×           ×         ×           ×         ×           × <tr< td=""><td></td><td>×1</td><td>USB</td><td>×6</td></tr<>		×1	USB	×6
Universal     Jospat     jospat       Accessories     Accessories       Power cable     ×1       Power cable     ×1       User'S manual     ×1       Keyboard/Mouse     ×1       Material     Mg-Al alloy base,ABS plastic shell       Optional       support     External USB CD/DVD driver     support     Compatible with win7/8/10Linux       Environment       Operating Temperature     0°C to 40°C     Storage Temperature     -20°C to 60°C       Italian       All-in-one computer		Power	Adaptor	
Power cable       ×1         User'S manual       ×1         ×1       Keyboard/Mouse       ×1         Material       Mg-Al alloy base,ABS plastic shell         Optional         support       External USB CD/DVD driver       support       Compatible with win7/8/10Linux         Operating Temperature       0°C to 40°C       Storage Temperature       -20°C to 60°C         Image: Storage Temperature         OPERATURE       Storage Temperature       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       Storage Temperature         Storage Temperature       -20°C to 60°C       Storage         Image: Storage Temperature	nput		Output	
User'S manual       ×1         Material       Mg-Al alloy base,ABS plastic shell         Support       External USB CD/DVD driver       support       Compatible with win7/8/10Linux         Doperating Temperature       0°C to 40°C       Storage Temperature       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: Storage Temperature       -20°C to 60°C       -20°C to 60°C         Image: S		Acce	essories	
Material       Mg-Al alloy base,ABS plastic shell         Support       External USB CD/DVD driver       support       Compatible with win7/8/10Linux         Operating Temperature       0°C to 40°C       Storage Temperature       -20°C to 60°C         Material       Mg-Al alloy base,ABS plastic shell       -20°C to 60°C         Material       Mg-Al alloy base,ABS plastic shell	ower cable	×1	Power adaptor	×1
Optional         support       External USB CD/DVD driver       support       Compatible with win7/8/10Linux         Environment         Operating Temperature       0°C to 40°C       Storage Temperature       -20°C to 60°C         Image: Colspan="2">Compatible with win7/8/10Linux         Operating Temperature       -20°C to 60°C         Image: Colspan="2">Compatible with win7/8/10Linux         OPERATION OF Colspan="2">Compatible with win7/8/10Linux         Operating Temperature       0°C to 40°C       Storage Temperature       -20°C to 60°C         Image: Colspan="2">Compatible with win7/8/10Linux         Alleine competition	Jser'S manual	×1	Keyboard/Mouse	×1
support External USB CD/DVD support Compatible with win7/8/10Linux  Doperating Temperature 0°C to 40°C Storage Temperature -20°C to 60°C Temperature -20°C to 60°C Temperature #曹納  All-in-one computer	<i>I</i> laterial		Mg-Al alloy base,AB	S plastic shell
driver buppen win7/8/10Linux Environment Operating 0°C to 40°C Storage -20°C to 60°C Temperature -20°C to 60°C 下emperature -20°C to 60°C 下emperature -20°C to 60°C		Ор	tional	
Operating Temperature 0°C to 40°C Storage Temperature -20°C to 60°C 下emperature 非書纳 All-in-one computer	upport		support	
Temperature Temperature Temperature Temperature Temperature		Envi	ronment	
All-in-one computer		0°C to 40°C		-20°Cto 60°C
All-in-one computer				
All-in-one computer				
All-in-one computer				
				- manufau
Business office/ Family Entertainment/ Game video/Graphic Design		All-II	I-One co	omputer
Business once/ Family Entertainment/ Game video/Graphic Design —	D.	sinoss office / Family	Entortainment/C	Same video (Graphic Decign
	ш— ВU	Isiness office/ Family	Entertainment/ G	Same video/Graphic Design

.....














# Suitable for all kinds of scenarios

(It satisfies most people's needs for computers)



# Business office

Appearance fashionable Atmosphere, suitable Business Office of enterprises and units, All kinds of office software run Smoothly.



A stunning visual and audio Experience Make your entertainment More enjoyable.





**3** Graphic design




Strong performance, fast Load large type files, easy To run all kinds of Graphic design software.



Easy to play all kinds of Popular networks the game.






## Certifications




Guangzhou Weipuna Technology Development Co., Ltd. is a factory manufacturer that mainly pro-duces advanced high technology products of r& D, manufacturing and sales of all-in-one computer, mini pc, touch screen monitor, smart teaching& conference panel and laptop computer. Under joint efforts of our professional R& D technology team, we will commit to manufacturing and provid- ing more high end products to global market in the future.



**Company Information** 







### FAQ

Question 1: Can you put my brand name (logo) on these products? Yes, We can support OEM/ODM service, the process of customization is following: 1 provide your specific requirement. PC All In One Touchscreen 2:our design engineer draw the design draft. 3:you confirm the design draft. 4:we start produce it. Question 2: How much do I need to pay for your OEM service? over 50units we can support printing logofor you, over 100units we can Custom shell and packing box for you. (about the OEM service fee is the customer pay) Question 3: What payment method do you accept? T/T,Western Union,Cash Question 4: What is the Minimum Order Quantity(MOQ)? We can sell one piece sample for your test. Question 5: What is the lead time of your products? 1-3 days for one sample, 15 working days for a large quantity. **Recommend Products** 

Guangzhou Weipuna Technology Development Co., Ltd. • +86 135 4430 6128 allinonepccomputers.com • th Floor, Building B7, Huachuang Animation Industrial Park, No. 9, Huateng Road, Shiji Town, Panyu District, Guangzhou City, Guangdong Province, China